

---

# **Henson-Sentry Documentation**

***Release 0.1.0***

**Andy Dirnberger**

March 26, 2016



<b>1</b>	<b>Installation</b>	<b>3</b>
<b>2</b>	<b>Configuration</b>	<b>5</b>
<b>3</b>	<b>Usage</b>	<b>7</b>
<b>4</b>	<b>Indices and tables</b>	<b>9</b>



Henson-Sentry is a library that helps to easily incorporate logging to [Sentry](#) into a [Henson](#) application.



---

# Installation

---

Henson-Sentry can be installed with:

```
$ python -m pip install Henson-Sentry
```





---

## Configuration

---

The following configuration settings can be added to the application.

SENTRY_DSN	The data source name used to identify that Sentry instance to which to send the logs.
RAVEN_IGNORE_EXCEPTIONS	Exception types that will be ignored when sending exceptions to Sentry.
SENTRY_AUTO_LOG_STACK	Whether or not to automatically log full stack traces. Default: False
SENTRY_EXCLUDE_PATHS	Module prefixes that will be ignored when attempting to discover from which function the exception originated. Default: ()
SENTRY_INCLUDE_PATHS	Module prefixes that will be included when attempting to discover from which function the exception originated. Default: ()
SENTRY_MAX_LENGTH_LIST	The maximum number of items a list-like container will store. Default 50
SENTRY_MAX_LENGTH_STRING	The maximum number of characters of a string that will be stored. Default 400
SENTRY_NAME	The name to use to identify the application. If no value is provided, the application's name will be used.
SENTRY_PROCESSORS	A list of processors to apply to events before sending them to Sentry.
SENTRY_RELEASE	The version of the application. Default None
SENTRY_SITE_NAME	The name used to identify the client. Default None
SENTRY_TAGS	A mapping of key-value pairs that will be associated with all events. Default None
SENTRY_TRANSPORT	The HTTP transport class that will be used to transmit events. Default None



---

## Usage

---

```
from henson import Application
from henson_sentry import Sentry

app = Application('application-with-sentry')
app.settings['SENTRY_DSN'] = 'https://*****@app.getsentry.com/1234'

Sentry(app)
```

Contents:

## 3.1 Changelog

### 3.1.1 Version 0.1.0

Released 2016-03-02

- Initial release



---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`